



KRAMER

VM-10HD

1:10 HD-SDI Video Distribution Amplifier



The VM-10HD is a high-performance distribution amplifier for HD-SDI signals. It takes one input, provides reclocking and equalization and distributes the signal to ten identical outputs

FEATURES

Max. Data Rate - Up to 1.485Gbps

HDTV Compatible

Multi-Standard Operation - SDI (SMPTE 259M/344M) & HD-SDI (SMPTE 292M) signals

Kramer Equalization & re-Klocking™ Technology - Rebuilds the digital signal to travel longer distances

HD-SDI & SDI Input Indication LEDs

Looping Input

Standard 19" Rack Mount Size - 1U. Rack "ears" included



KRAMER

TECHNICAL SPECIFICATIONS

INPUT:	1 SMPTE-259M, 292M, 344M serial video, 75Ω on a BNC connector
OUTPUTS:	11 equalized and reclocked SMPTE-259M, 292M, 344M outputs, 75Ω on BNC connectors
MAX. OUTPUT LEVEL:	800mVpp/75Ω
MAXIMUM DATA RATE:	1.485Gbps
COUPLING:	AC
POWER CONSUMPTION:	100-240V AC, 50/60Hz, 5VA
INCLUDED ACCESSORIES:	Power cord, rack "ears"
PRODUCT DIMENSION:	19" x 7.20 x 1U (43.6cm x 18.30cm 4.36cm) W, D, H
	19" x 7.20 x 1U (43.6cm x 18.30cm 4.36cm) W, D, H
	19" x 7.20 x 1U (43.6cm x 18.30cm 4.36cm) W, D, H
PRODUCT WEIGHT:	0.0kg (0.0lbs) approx
	1.5kg (3.3lbs) approx
	1.5kg (3.3lbs) approx
SHIPPING DIMENSION:	55.00cm x 27.60cm x 10.70cm (21.65" x 10.87" x 4.21") W, D, H
	55.00cm x 27.60cm x 10.70cm (21.65" x 10.87" x 4.21") W, D, H
	55.00cm x 27.60cm x 10.70cm (21.65" x 10.87" x 4.21") W, D, H
SHIPPING WEIGHT:	2.2kg (4.9lbs) approx
	2.2kg (4.9lbs) approx
	2.2kg (4.9lbs) approx

